## BOARD OF PUBLIC UTILITIES CITY OF CHEYENNE, WYOMING \*\*SUMMARY OF BOARD MEETING\*\*

Monday, March 21, 2022 PAGE 1

The Board of Public Utilities of the City of Cheyenne, Wyoming assembled this day at 3:00 p.m. in the  $1^{\text{st}}$  Floor Conference Room of the Timothy E. Wilson Board of Public Utilities' Administration/Engineering Building, 2416 Snyder Avenue, Cheyenne, Wyoming.

Present via In-Person/Electronic Conference were:

Mary Guthrie, President John Edwards, Member Keith Zabka, Member Allan Cunningham, Member Brad Brooks, Director Matt Buelow, Water Reclamation Manager Doug Calhoun, Operations & Maintenance ranager

Frank Strong, Eng. & Water Resources Manager

Loren Eldgridge-Looker, Tring
Mike Vaughn, Vaughn Concrete Elizabeth Lance, Board Attorney

Bryce Dorr, Capital Projects Supervisor Lynn Butts, Accounting Supervisor Sarah Bargsten, Water Conservation Specialist Jason Land, Safety & Security Officer Erin Lamb, Administrative/Public Affairs Pete Laybourn, Cheyenne City Council Member Bradley Bowen - Public Attendee Loren Eldgridge-Looker, TriHydro

The Board approved by consent agenda:

- The minutes of the Regular Board Meeting held February 22, 2022.
- Award of City Bid #E-26-21 for aggregate in the amount of \$7.50 per ton for a total of \$45,000 to Croell, Inc.

The Board approved the financial statements for month-end February 28, 2022 as presented. The Board approved the vouchers for payment.

The Board approved reimbursement request for \$890,623.21 and payment to Tru-Grit in the amount of \$696,573.41 for the Allison Draw South Interceptor Project, Manhole B-6 through C-1, and surface finishing.

The Board approved amended updates to the City of Cheyenne & Board of Public Utilities Specification and Standard Drawings dated March 14, 2022, as presented.

The Board approved the BOPU Attorney to review and approve language changes and related correspondence regarding the Polo Ranch agreement with the City of Cheyenne.

The Board meeting adjourned at approximately 4:45 p.m.